

SIZES: ALL SIZES ARE 13/4"THICK; ALL SIZES ARE NOMINAL**

MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT


FINISH: VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED

DETAILS: VISIT STEPSTONEDEALER.COM FOR DRAWINGS AND DIMENSIONS








*HEXAGONAL PAVERS UNAVAILABLE IN EXPOSED AGGREGATE FINISH **16" pavers are 2" thick; 20½" and 24" are 2½" thick.

12"X 12" 16"X 16" 18"X 18" 24"X 24"








SANTA FE BUFF



FRENCH GRAY







2012

PORCELAIN
2013

BRICK RED
2016

KONA 2021

PEBBLE 2024

ADOBE 2025

SIZES: ALL SIZES ARE 4"THICK; ALL SIZES ARE NOMINAL


MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

FINISH: VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED

DETAILS: VISIT STEPSTONEDEALER.COM FOR DRAWINGS AND DIMENSIONS





* Tabs are located on all edges


3" X 9" X 4"*


3" X 12" X 4"*


3" X 18" X 4"*

3" X 24" X 4" *










PATTERN INCLUDES: 2 PIECES 12" X12" 4 PIECES 12" X24" 2 PIECES 24" X 24" TOTAL: 18 SF




PATTERN INCLUDES: 2 PIECES 12" X12" 4 PIECES 18" X 18" 2 PIECES 12" X 24" TOTAL: 15 SF


ASHLAR PATTERN (SHOWN IN FAR RIGHT PATTERN BELOW)					
	PATTERN INCLUDES:				
7 PIECES	12" X 12" (1 SF EA)	7 SF			
9 PIECES	12" X 24" (2 SF EA)	18 SF			
8 PIECES	24" X 24" (4 SF EA)	32 SF			
4 PIECES	18" X 18" (2.25 SF EA)	9 SF			
3 PIECES	18" X 24" (3 SF EA)	9 SF			
2 PIECES	18" X 36" (4.5 SF EA)	9 SF			
TOTAL SF P	TOTAL SF PER PATTERN:				








PATTERN INCLUDES: 2 PIECES 12" X 24" 2 PIECES 18" X 18" 2 PIECES 24" X 24" TOTAL: 16.5 SF





SIZES:

CLASSIC

14" X 24" X 2½"

INSIDE AND OUTSIDE CORNERS
INSIDE RADIUS: 1', 2', 3', 4', 6', 8'
OUTSIDE RADIUS: 2', 3', 4', 6', 8'
1" RADIUS BULLNOSE WITH ½"

TOP AND BOTTOM REVEAL

<u>MODERN</u> 18" X 18" X 2" 18" X 24" X 2" TRAIGHTS AND OUTSID

STRAIGHTS AND OUTSIDE CORNERS
1"RADIUS BULLNOSE

SQUARE MODULAR
12" X 24" X 2½"
16" X 24" X 2½"
16" X 36" X 2½"
16" X 16" X 2½"
16" OUTSIDE CORNERS

OUTSIDE RADIUS: 2', 4', 6', 8'

ALL SIZES ARE NOMINAL.


MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT


FINISH: STIPPLED, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED

DETAILS: VISIT STEPSTONEDEALER.COM FOR DRAWINGS, DIMENSIONS AND RADIUS FINDER

BUILDING CODE: CHECK WITH LOCAL JURISDICTIONS FOR REQUIREMENTS





SIZES: S	TRAIGHTS/ENDS	<u>CORNERS</u>	FLAT PILASTER CAP*	PEAKED PILASTER CAPS
	8" X 24" X 2½"	8" X 12" X 2½"	10" X 18" X 2½"	14" X 14" X 3¾"
	10¼" X 24" X 2½"	10¼" X 12" X 2½"	14" X 14" X 2½"	16" X 16" X 4"
	12" X 24" X 2½"	12" X 14" X 2½"	16" X 16" X 2½"	19" X 19" X 4¼"
	14" X 24" X 2½"	14" X 16" X 2½"	19" X 19" X 2½"	22" X 22" X 4 ³ / ₈ "
	16" X 24" X 2½"	16" X 18" X 2½"	22" X 22" X 2½"	24" X 24" X 41/2"
24"	X 24" X 2½" (STRAIGHT)		24" X 24" X 21/2"	28" X 28" X 5"
	A DULIG DIEGEG		28" X 28" X 21/2"	*CUSTOM PILASTER CAP SIZES AVAILABLE

RADIUS PIECES

WIDTH: 10¼" WIDTH: 12", 14" WIDTH: 16" RADIUS: 2', 3', 4', 6', 8', 10', 12', 14', 16' RADIUS: 4', 6', 8', 10', 12', 14', 16'

RADIUS: 4', 6', 8'

ALL SIZES ARE NOMINAL.

RADIUS IS MEASURED TO THE


RADIUS IS MEASURED TO THE OUTSIDE EDGE ON ALL WALL CAP

WALL CAP MEASUREMENTS ARE TO THE OUTSIDE EDGE OF THE BULLNOSE WITH A 1"OVERHANG ON EACH SIDE.

MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

FINISH: SMOOTH, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED

















AGAVE 2012 PORCELAIN
2013

BRICK RED
2016

KONA 2021

PEBBLE 2024

ADOBE 2025

SIZES:

STRAIGHTS/ENDS	<u>CORNERS</u>
71/4" X 24" X 3 ³ / ₈ "	71/4" X 10" X 3 ³ / ₈ "
91/4" X 24" X 33/8"	91/4" X 12" X 3 ³ / ₈ "
131/4" X 24" X 3³/ ₈ "	13¼" X 16" X 3¾"
201/4" X 24" X 3 ³ / ₈ "	201/4" X 23" X 3 ³ / ₈ "

PILASTER CAPS 13½" X 13½" X 3¾" 15½" X 15½" X 3¾" 20" X 20" X 3¾" 23½" X 23½" X 3¾" 27½" X 27½" X 3¾"

RADIUS PIECES


Width: 91/4" Radius: 2', 4', 6', 8'


ALL SIZES ARE NOMINAL.

MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

FINISH: SMOOTH, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED





SIZES:

STRAIGHTS/ENDS 91/4" X 24" X 21/2" <u>CORNERS</u> 91/4" X 12" X 21/2"

ALL SIZES ARE NOMINAL.

MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

FINISH: SMOOTH, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED





SIZES:

CLASSIC

14" X 24" X 2½"

INSIDE & OUTSIDE CORNERS

14" X 16" X 2½"

INSIDE RADIUS: 1', 2', 3', 4', 6', 8'

OUTSIDE RADIUS: 2', 3', 4', 6', 8'

1" RADIUS BULLNOSE WITH ½"

TOP AND BOTTOM REVEAL

MODERN 18" X 18" X 2" 18" X 24" X 2" STRAIGHTS & OUTSIDE CORNERS 1" RADIUS BULLNOSE

RISER BLOCK 3" X 4" X 24" RISER TILE 6" X 12" X1" SQUARE MODULAR

12" X 24" X 2½"

16" X 24" X 2½"

16" X 36" X 2½"

16" X 16" X 2½"

16" OUTSIDE CORNERS

OUTSIDE RADIUS: 2', 4', 6', 8'

ALL SIZES ARE NOMINAL.

MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

FINISH: STIPPLED, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED

DETAILS: VISIT STEPSTONEDEALER.COM FOR DRAWINGS, DIMENSIONS AND RADIUS FINDER

BUILDING CODE: CHECK WITH LOCAL JURISDICTIONS FOR REQUIREMENTS






CAFE BROWN

B 507



FRENCH GRAY





"B" BROOM FINISH

SIZES: 11" X 36" UP TO 48" X 21/2" ALL SIZES ARE NOMINAL

MATERIAL: 5,000 PSI HARDROCK CONCRETE, TYPE III CEMENT

REINFORCEMENT: ZINC-PLATED WELDED WIRE MESH

FINISH: BROOM, EXPOSED AGGREGATE, VERANOSTONE® OR HERMOSASTONE® (ADDITIONAL SWATCHES ON PAGES 22-23)

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED


NOSE FINISH: SMOOTH OR EXPOSED AGGREGATE


DETAILS: VISIT STEPSTONEDEALER.COM FOR DRAWINGS AND DIMENSIONS

BUILDING CODE: CHECK WITH LOCAL JURISDICTIONS FOR REQUIREMENTS











CARAMEL E 510




















SIZES: 12" X 12" AND 24" X 24" ARE 2"THICK; ALL SIZES ARE NOMINAL ORIENTATION OF DOMES ON CAST PAVERS IS +/- 1/16" OF SPECIFIED DIMENSIONS ALL DIMENSIONS LISTED ARE INTENDED TO MEET ADA SPECIFICATIONS


MATERIAL: 4,000 PSI HARDROCK CONCRETE, TYPE III CEMENT


FINISH: STIPPLED OR SANDBLAST

COLOR CHOICE: USING ACTUAL SAMPLES IS STRONGLY RECOMMENDED









VERANOSTONE® COLORS



HERMOSASTONE® COLORS



CLASSIC® COLORS (SMOOTH & STIPPLED FINISH)



SONORASTONE® COLORS



STEPTREAD COLORS*




*STEPTREADS ARE ALSO AVAILABLE IN VERANOSTONE® AND HERMOSASTONE®

DUE TO LIGHTING AND PHOTO EDITING, IMAGES DO NOT ALWAYS ACCURATELY DEPICT OUR PRODUCT COLORS. ALL OF OUR PRODUCTS ARE MADE BY HAND FROM NATURAL MATERIALS. VARIATIONS IN COLOR ARE TO BE EXPECTED. WE ALWAYS RECOMMEND SELECTING COLORS FROM ACTUAL CONCRETE SAMPLES. PLEASE FEEL FREE TO CONTACT US FOR SAMPLES AT 800.572.9029 OR USE OUR WEBSITE STEPSTONEDEALER.COM.



CONTACT US
























P: 800.572.9029 P: 310.217.2378

STEPSTONEDEALER.COM

VISIT STEPSTONEDEALER.COM FOR OUR FULL PRODUCT CATALOGUE







WORKSHEETS

FAQ'S & REPORTS

STEPSTONE PICS



PLEASE NOTE: ALL OF OUR PRODUCTS ARE MADE BY HAND FROM NATURAL MATERIALS. VARIATIONS IN COLOR ARE TO BE EXPECTED. TO CONFIRM COLOR, PLEASE REFER TO ACTUAL CONCRETE SAMPLES BEFORE PLACING ORDER. SOME MINOR CHIPPING MAY RESULT FROM SHIPPING, BUT IS NOT DETRIMENTAL TO APPEARANCE OR FUNCTION. STEPSTONE, LLC RECOMMENDS SEALING TO AID IN GROUT REMOVAL AND CLEANING PRIOR TO INSTALLATION. GROUT NATURALLY WILL BOND WITH CONCRETE. IMMEDIATELY REMOVE ANY GROUT SLURRY THAT COMES IN CONTACT WITH THE FINISHED FACE OF THE PRECAST CONCRETE PIECES. ALL SIZES ARE NOMINAL. SEE DETAILS FOR FURTHER INFORMATION. AVAILABLE IN OTHER STANDARD COLORS.

01–2025